Activate your Potential

Culture Plus Mobile SC 45 USB CTRL





SC 45 USB CTRL

Sennheiser SC 45 USB CTRL is a single-sided, wired headset offering both USB and 3.5 mm connectivity.

The dual connectivity is provided via the headset's 3.5 mm jack and a detachable USB cable, allowing connection to smartphones, tablets, etc. as well as PC.

A flexible headset solution for mobile office professionals optimized for Unified Communications.

Sound leadership

With Sennheiser Voice Clarity and a noisecancelling microphone, the SC 45 USB CTRL optimizes speech intelligibility in noisy environments to deliver a more natural conversational experience during calls for both caller and listener. Sound enhancement profiles adjust automatically for optimal communication or multimedia use.

Quality design

With its contemporary styling, the SC 45 USB CTRL looks good from front-desk to video call. A lightweight headband with leatherette padding flexes and adjusts for a personalized fit and a bendable boom arm positions the microphone perfectly.

User focus

With its dual connectivity options via either 3.5 mm jack or USB plug along with its instant-fit features and choice of acoustic foam ear pad or soft leatherette cover, the SC 45 USB CTRL immediately provides users with a flexible UC headset solution with superior comfort. Features an ergonomic in-line call control unit for easy call management and Sennheiser ActiveGard® technology to safeguard users from acoustic shock. A carry pouch for transport or storage protects the headset when not in use.

Features and Benefits:


- Dual connectivity offering both 3.5 mm jack and USB connectivity allowing connection to smartphones, tablets etc. as well as PC
- Optimized for Unified Communications compatible with major UC and softphone brands
- Sennheiser Voice Clarity wideband sound for a natural listening experience
- Noise-cancelling microphone filters out ambient noise for optimum speech clarity
- Unique contemporary design crafted with look and feel in mind

- Instant comfort flexible headband with leatherette padding adjusts for perfect fit
- 2-in-1 ear pad styles choose between soft leatherette or light acoustic foam for maximum comfort
- Optimized for communication and multimedia – with automatic sound enhancement profiles*
- Ergonomic in-line call control unit simple and functional for easy call management*
- Bendable boom arm ensures optimal microphone position
- Sennheiser ActiveGard[®] technology protects users from acoustic shock
- Protective carry pouch for easy storage or transport
- Switchable Noise at Work limiter in compliance with EU Noise at Work legislation (Directive 2003/10/EC)*

*Available when the headset is connected via USB

Product Information

Product name 502 USB CFRL Art. No. 507804 GAN No. 404155 212402 FAN No. 615104 27773 Product description Signel-sided UC headed with 3.5 mm jack and detachable USB cable with in-line call control General Data Image: Signel Side UC headed with 3.5 mm jack and detachable USB cable with in-line call control Waring style Omean: single-sided (unmaural) headband Isseed cable length 1.2 m / A53 ff (from neators to 3.5 mm jack) Siste length in total 2.5 m / A25 ff (from headback with 3.5 mm jack + detachable USB cable) Sound cable length 1.3 m / A53 ff (from cable cable AG OS Color Block (able freet bead and and car pad cover Weight headbet, cable and connector 1.0 modow (US AG OS) Color Block (able-cancelling Microphone type Noise-cancelling Frequency response - multimeda 50 - 16.000 Hz Sound pressure Color (US Cable) Call control unit - Frequency response - multimeda Color (US Cable) Sound pressure Color (US Cable) Color (US Cable) Color (US Cable) Color					
BAN No. 404155 21240 2 OPC No. 6.3104 PT77 J 3 Product discription Single-sided (UC headset with 3.5 mm jack and detachable USB cable with in-line call control Central Data On-car, single-sided (monaural) headband Headet cable length 1.12 m / 3.07 ft (from headect to 3.5 mm jack) LSB cable length 1.22 m / 3.07 ft (from headect to 3.5 mm jack) Cable length 1.38 m / 4.38 ft (from call control unit to USB plus) Cable length 2.5 m / 4.20 ft (from headect to 3.5 mm jack + detachable USB cable) Supported operating systems Sim jack and USB Microphone type Microphone type Microphone type Nole-cancelling Prequency reponse - communication / teleformunication / teleformunication Sound pressure Call control onth 60 - 16.00 Hz Sound pressure Lineited by ActiveCardie Units in distributor master carton 40 pc s Preducy reponse - multimedia Sound pressure Units in distributor master carton 40 pc s Visione rune - Redatal Back Index	Product name	SC 45 USB CTRL			
UPC No. 6 13104 27737 3 General Data Inclusion of the state of t	Art. No.				
product description Single sided UC headset with 3.5 mm jack and detachable USB cable with in line call control General Data 0n-ear, single-sided (monaural) headband 1.2 m / 3.6 7 ft (rum headset to 3.5 mm jack) 1.2 m / 3.6 7 ft (rum headset to 3.5 mm jack) USB cable length 1.3 m / 3.6 7 ft (rum headset to 3.5 mm jack) 1.3 m / 3.6 7 ft (rum headset with 3.5 mm jack + detachable USB cable) 1.3 m / 3.6 7 ft (rum headset with 3.5 mm jack + detachable USB cable) Cable length in total 2.5 m / 8.20 ft (rum headset with 3.5 mm jack + detachable USB cable) 1.3 m / 3.6 7 ft (rum headset with 3.5 mm jack + detachable USB cable) Supported operating systems Microsoft Windows® and Apple Mar COS 1.5 m / 8.20 ft (rum headset with 3.5 mm jack + detachable USB cable) Microsoft Windows® and Apple Mar COS 1.5 m / 8.20 ft (rum headset with 3.5 mm jack + detachable USB cable) 1.5 m / 8.20 ft (rum headset with 3.5 mm jack) Microsoft Windows® and Apple Mar COS 1.5 m / 8.20 ft (rum headset with 3.5 mm jack) 1.5 m / 8.20 ft (rum headset with 3.5 mm jack) Microsoft Windows® and Apple Mar COS 1.5 m / 8.20 ft (rum headset with 3.5 mm jack) 1.5 m / 8.20 ft (rum headset with 3.5 mm jack) Microsoft Windows® and Apple Mar COS 1.5 m / 8.20 ft (rum headset with 3.5 mm jack) 1.5 m / 8.20 ft (rum headset with 3.5 mm jack) Speaker Type Needymium Magnet Speaker Mar Mar Mar M	EAN No.				
Identical Data Wearing style On-ear, single-sided (monaural) headband Headset table length 1.12 m / 3.67 ft (from headset to 3.5 mm jack) USB cable length 1.38 m / 4.53 ft (from rail cortrol unit to USB plug) Cable length total 2.5 m / 8.20 ft (from headset to 3.5 mm jack / detachable USB cable) Supported operating systems Microsoft Windoxs® and Apple Mac OS Weight: hoadset, cable and connector 102 g / 3.6 oz Pricrophone type Nolse-cancelling Prequenty response - communication/ 150 - 6,800 Hz (Wideband) telesert type Nolse-cancelling Frequenty response - communication/ 150 - 6,800 Hz (Wideband) Sound pressure Limited by ActiveGard® Call control unit - Answer/fird a call - Volume up/down - Microphone upe Packaging Packaging Packaging 137 g / 4.83 oz Units of product packaging 137 g / 4.83 oz Units of product and packaging 137 g / 4.83 oz Units of delivery 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in W x + x O) 100 pc Units delivery Spacker	UPC No.				
Identical Data Wearing style On-ear, single-sided (monaural) headband Headset table length 1.12 m / 3.67 ft (from headset to 3.5 mm jack) USB cable length 1.38 m / 4.53 ft (from rail cortrol unit to USB plug) Cable length total 2.5 m / 8.20 ft (from headset to 3.5 mm jack / detachable USB cable) Supported operating systems Microsoft Windoxs® and Apple Mac OS Weight: hoadset, cable and connector 102 g / 3.6 oz Pricrophone type Nolse-cancelling Prequenty response - communication/ 150 - 6,800 Hz (Wideband) telesert type Nolse-cancelling Frequenty response - communication/ 150 - 6,800 Hz (Wideband) Sound pressure Limited by ActiveGard® Call control unit - Answer/fird a call - Volume up/down - Microphone upe Packaging Packaging Packaging 137 g / 4.83 oz Units of product packaging 137 g / 4.83 oz Units of product and packaging 137 g / 4.83 oz Units of delivery 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in W x + x O) 100 pc Units delivery Spacker	Product description				
Weardset cable length In-sam. single-sided (monaural) headhand Headaet cable length 1.12 m / 8.5 ft (from headbet to 1.5. mm jack) USB cable length Cable length 1.32 m / 8.5 ft (from headbet with 3.5 mm jack + detachable USB cable) Cable length Cable length 2.5 m / 8.20 ft (from headbet with 3.5 mm jack + detachable USB cable) Cable length Supported operating systems Color Black keatherette padding on headband and ear pad cover Weight headset, cable and consector 102 g / 3.6 oz Supported operating systems Color Black keatherette padding on headband and ear pad cover Supported operating systems Microphone Sype Molac-cancelling Frequency response - communication Speaker type Neodymium Magnet Speaker So - 0.800 Hz (Wideband) Speaker type Neodymium Magnet Speaker So - 0.800 Hz (Wideband) Gall control unit - Answer/End a call - Volume up/down - Volume up/down - Reiai last outging call - Reiai last outging call - Reider toxning call - Answer/End a call - Volume up/down - Volume up/down - Reider Mithager Speaker - Speaker Ginet control <t< th=""><th>•</th><th></th><th></th><th></th><th></th></t<>	•				
Headset table length 1.12 m / 3 67 ft (from headset to 35 mm jack) USB cable length 1.38 m / 45 37 ft (from claratid unit to USB plug) Cable length in total 2.5 m / 8.20 ft (from headset with 3.5 m jack + detachable USB cable) Supported operating systems Microsoft Windows's and Apple Mac OS Back leadset, cable and connector 122 g / 3 6.0 z Microphone 122 g / 3 6.0 z Microphone type Noise-cancelling Prequency response - communication / table down Magnet Speaker Speaker Speaker Noise-cancelling Speaker type Noise-cancelling Frequency response - nuitimedia Stort (Wideband) Sond pressure Limited by ActiveGard® Call control unit - Frequency response - nuitimedia - Coll control unit - Package type Noise y 4.00 k 2.00		On-ear, single-sided (monaural) headbar	nd		
USE cable length 1.38 m / 4.59 ft (from call control unit to USB plug) Cable length in total 2.5 m / 8.20 ft (from beadset with 3.5 m jack + detachable USB cable) Connector 3.5 mm jack and USB Supported operating systems Microsoft Windows® and Apple Mac OS Color Back Leatherette padding on headband and car pad cover Weight headset, cable and connector 102 g / 3.6 oz Microsoftone					
Cable length in total 2.5 m / 8.20 ft (from headset with 3.5 mm jack + detachable USB cable) Supported operating systems Microsoft Windows® and Apple Mac OS Back leatherette padding on headband and ear pad cover 102 / 3 6 o2 Microphone 102 / 3 6 o2 Microphone type Noise-cancelling Frequency response communication/ leatomixetion 150 - 6,800 Hz (Wideband) Speaker type Noise-cancelling Frequency response -multimedia 60 - 1.6.000 Hz Song pressure Limited by ActiveGard® Call control unit - Frequency response -multimedia - Alicrophone mute - - Answer/End a call - - Volume up/down - <t< th=""><th>-</th><th></th><th></th><th></th><th></th></t<>	-				
Concertor 9.5 mm jack and USB Supported operating systems Nicrosoft Windows®-and Apple Mac OS Color Black leatherette padding on headband and ear pad cover Weight: headset, cable and connectre 102 g/ 3.6 oz Microphone type Noise-cancelling Frequency response - communication 150 - 6,800 Hz (Wideband) Speaker Type Neodymium Magnet Speaker Gound pressure Call control unit Frequency response - numtimedia 60 - 16,000 Hz Sound pressure Linted by ActiveGard® Call control unit - Answer/End a call - volume up/down - Notophone rute - Redial last outpoing call - Redial last outpoing call - Redial last outpoing call - Redial last outpoing call - Redial last outpoing call - 107 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (Incl. product and packaging) 107 g / 4.83 oz (Incl. product and packaging) - 19 z Vinits in distributor master carton 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Mutrosoft for settry guide - 36 settry guide - Outpoing - 19 z Content of Gelivery - 0 setriputon - Outck gui				USB cable)	
Supported operating systems Microsoft Windows® and Apple Mac OS Color Back leatherette padding on headband and ear pad cover Wilerghene Noise-cancelling Microphone type Noise-cancelling Frequency response - communication 150 – 6,800 Hz Speaker Needymium Magnet Speaker Gold on persure Needymium Magnet Speaker Gold control unit Needymium (control unit) Frequency response - multimedia Needymium (control unit) Frequency response - multimedia Needymium (control unit) Frequency response - multimedia Needymium (control unit) Packaging Needymium (control unit) Needymium (control unit) Package type Poly bag with product label on each item Needymium (control unit) Package type Poly bag with product label on each item Needymium (control unit) Needymium (control unit) Package weight 137 g / 4.83 oz Needymium (control unit) Needymium (control unit) Package weight 137 g / 4.83 oz Needymium (control unit) Needymium (control unit) Package weight 137 g / 4.83 oz Needymium (control unit) Ne					
Color Biack leatherite padding on headband and ear pad cover Weight: headset, cable and connector 102 g / 3.6 oz Microphone type Noise-cancelling Frequency response - communication 150 - 6,800 Hz Speaker type Neodymium Magnet Speaker Gound pressure Limited by ActiveGard® Call control unit - Answer/End a call - Volume up/down - Redeal last outgoing call - Redeal last outgoing call - Redeal last outgoing call - Redeal last outgoing call - Redeal last outgoing call Packaging - Volume up/down Package type Poly bag with product label on each item Dimension of product packaging) 137 g / 4.83 oz Units of bis y 16.23 lbs - Start y 20 (S / 20 (
Weight: headset, cable and connector 102 g / 3.6 oz Microphone Noise-cancelling Frequency response - communication/ speaker type Noise-cancelling Speaker type Neodymium Magnet Speaker Gold pressure Gold Package Call control unit Gold Package Packaging Packaging Packaging Poly bag with product label on each item Dimension of product packaging) 107 g / 4.83 oz Units in distributor master carton (mit, product and packaging) 137 g / 4.83 oz Units in distributor master carton (W × 1× 0) 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in EAN No. UPC No. Spare Parts Description Art. No. EAN No. UPC No. Spare Parts Description Art. No. EAN No. UPC No. Spare Parts Description Art. No. EAN No. UPC No. Spare Parts Description Art. No. EAN No. UPC No. Spare Parts Description Art. No. EAN No. UPC No. Spare Parts Description Art. No. EAN No. UPC No. Spare Parts Description<					
Microphone type Noise-cancelling Prequency response - communication/ telecommunication 150 - 6, 800 Hz (Wideband) Speaker 60 - 16,000 Hz Sound pressure 60 - 16,000 Hz Call control unit - Answer/End a call - Volume up/down - Microphone mute - Redial last outgoing call - Answer/End a call - Volume up/down - Microphone mute - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Outgoing call - Redial last outgoing call			inu ear pau cover		
Microphone type Noise-cancelling Frequency response - communication/ speaker type 150 - 6,800 Hz (Wideband) Speaker type Needymium Magnet Speaker Frequency response - multimedia 60 - 16,000 Hz Sound pressure Limited by ActiveGard® Call control unit - Answer/End a call - Volume up/down - Microphone mute - Redial last outgoing call - Redial sto outgoing call - Redial at outgoing call - Redial at outgoing call - Redial at outgoing call - Redial at outgoing call Package type Poly bag with product label on each item Dimension of product packaging (W x H x D) 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (M, K H x D) Package weight (Incl. product and packaging) 137 g / 4.83 oz					
Frequency response - communication / 150 - 6.800 Hz (Wideband) Speaker type Neodymium Magnet Speaker Frequency response - multimedia 60 - 16.000 Hz Sound pressure Limited by ActiveGard® Cail Control unit - Answer/End a call - Volume up/down - Microphone mute - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Dimension of product packaging 137 g / 4.83 ou (int., product and packaging) 137 g / 4.83 ou Unit sin distributor master carton 40 pcs - Dimension of master carton 185 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W H x D) - Headset with 3.5 mm jack, foam ear pad and leatherette cover -		Notes assertions			
telecommunication Speaker Speaker type Frequency response - multimedia Sound pressure Call control unit Features - Answer/End a call Volume up/down Microphone mute Reject incoming call Package type Poly bag with product label on each item Dimension of product packaging (fict, product and packaging) 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (fict, product and packaging) 137 g / 4.83 oz (find, product and packaging) Units in distributor master carton Master carton weight 7.36 kg / 16.23 lbs Incl. products Incl. product and packaging) Unit pack/end user - Detarbable USB cable with in-line call control - Carry pouch - Ouck guide - Safety guide - Safety guide Space Parts Product name (GR2 Carry pouch for SC 40/70, 10 pcs Safety guide - Safety guide Safet Art Biack Hartertte ear pads, 26 pcs Sof512 40 44155 20743 9 6 15104 27086 1 6 15104 27086 1 6 15104 27086 1 6 15104 27086 1 6 15104 27786 9 5 15104 27785 9 5 05513 Subsect CRL Carry pouch for SC 40/70, 10 pcs Sof513 40 44155 20747 7 6 15104 27785 9 5 0512 204 04 44155 20747 7 6 15104 27785 9 Subsect CRL Carry pouch for SC 40/70, 10 pcs Sof513 5 05512 40 44155 20747 7 6 1510					
Speaker Neodymium Magnet Speaker Speaker type Neodymium Magnet Speaker Frequency response - multimedia 60 – 16.000 Hz Sound pressure Limited by ActiveGard® Call Control unit - Features - Answer/End a call - Volume up/down - - Reject incoming call - - Context cand packaging) 137 g / 4.83 oz Units i		150 – 6,800 Hz (Wideband)			
Speaker type Frequency response - multimedia Sound pressure Neodymium Magnet Speaker 60 - 16,000 Hz Call control unit - Answer/End a call - Volume up/down - Microphone mute - Redial last outgoing call - Reject incoming call - Reject incoming call - Packaging Poly bag with product label on each item 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (Mx H x D) - Package type Poly bag with product label on each item 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (Incl. product and packaging) - Units in distributor master carton (Incl. product and packaging) 137 g / 4.83 oz (Incl. product and packaging) - Units in distributor master carton (W x H x D) 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W x H x D) - Box content - Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guide - - Spare Parts Description Art. No. EAN No. UPC No. CB2 (BD2 (CATY pouch for SC 40/70, 10 pcs 506512 40 44155 20743 9 6 15104 27088 1 6 15104 27088 6 6 15104 27788 9 HZP 46 Black Leatherette ear pads, 2 pcs 506512 40 44155 20743 9 6 15104 27088 9 6 15104 27788 9 SUBSE CC SC TCRL Controller spare 105 c 55 5 507089 40 44155 20747 0 6 15104 27788 9 <th></th> <th></th> <th></th> <th></th> <th></th>					
Frequency response - multimedia 60 - 16,000 Hz Sound pressure Limited by ActiveGard® Call control unit - Answer/End a call Features - Answer/End a call - Volume up/down - Neirophone mute - Reidal last outgoing call - Reidal last outgoing call - Reidal last outgoing call - Reidet lincoming call Package type Poly bag with product label on each item Dimension of product packaging 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (W x H x D) 137 g / 4.83 oz (Incl. product and packaging) 137 g / 1.83 oz Units in distributor master carton 40 pcs Master carton weight 7.36 kg / 16.23 lbs Ind. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Uwit pack/end user 1 pc Content of delivery - Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guide - Safety guide - Sof6512 40 44155 20743 9 615104 27083 1 M2P 46 Black Leatherette ar pads, 2 pcs 506513 40 44155 20747 6 615104 27083 5 <					
Sound pressure Limited by ActiveGard@ Call control unit - Answer/End a call - Volume up/down - Microphone mute - Redial last outgoing call - Reject incoming call - Packaging Package type Poly bag with product label on each item - Package type Poly bag with product label on each item - Package weight 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in - W x H x D) 137 g / 4.83 oz - Units in distributor master carton 40 pcs - Master carton weight 7.36 kg / 16.23 lbs - incl. products - - - Dimension of master carton 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in - (W x H x D) - - - Unit pack/end user - - - 0/W x H x D) - - - - Unit pack/end user - - - - - - - - - - - - - - - - 0/W x H x					
Call control unit - Answer/End a call - Volume up/down - Microphone mute - Redail absorb ute - Redail absorb ute - Redail absorb ute - Relation ute - Redail absorb ute - Reject incoming call Package type Poly bag with product label on each item Dimension of product packaging 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (W x H x D) Package weight Package weight 137 g / 4.83 oz (incl. product and packaging) 40 pcs Master carton weight 7.36 kg / 16.23 lbs incl. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in U'W H x D) 1pc Content of dellvery 1pc Box content - Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guide - Spare Parts Description Art. No. EAN No. UPC No. Carry pouch for SC 40/70, 10 pcs 506513 40 44155 20743 9 6 15104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs 506513 40 44155 20747 7 6 15104 27083 1					
Features - Answer/End a call - Volume up/down - Microphone mute - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call - Redial last outgoing call Package type Poly bag with product label on each item Dimension of product packaging 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (W x H x D) 137 g / 4.83 oz Package weight 137 g / 4.83 oz (incl. product and packaging) Units in distributor master carton Units in distributor master carton 40 pcs 7.36 kg / 16.23 lbs - incl. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in (W x H x D) Unit pack/end user Unit pack/end user 1 pc Content of delivery - Box content - Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Spare Parts - Product name Description Art. No. EAN No. CB02 Carry pouch for SC 40/70, 10 pcs 506509 40 44155 20743 9 6 15104 27088 3		_ Limited by ActiveGard®			
 Volume up/down Microphone mute Redial last outgoing call Redial last outgoing call Package type Poly bag with product label on each item Dimension of product packaging					
 - Microphone mute Redial last outgoing call Redial last outgoing call Redial last outgoing call Reject incoming call 	Features				
 Redial last outgoing call Reject incoming call Reject incoming call Package type Poly bag with product label on each item Dimension of product packaging 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (W x H x D) Package weight (Incl. product and packaging) Units in distributor master carton 40 pcs 7.36 kg / 16.23 lbs incl. products Dimension of master carton (W x H x D) Unit pack/end user 1 pc Content of delivery Box content - Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Garty pouch - Safety guide Spare Parts Product name Carry pouch for \$C 40/70, 10 pcs Sof509 40 44155 20743 9 615104 27788 1 HZP 46 Black Leatherette ear pads, 26 pcs Sof6513 40 44155 20747 7 615104 27788 9 615104 27788 9 615104 27788 9 615104 27783 9 615104 27783 9 615104 27783 9 615104 27784 4 Controlf end headset, 3.5 mm jack, 507089 40 44155 21245 7 615104 27783 9 					
- Reject incoming call Packaging Package type Poly bag with product label on each item Dimension of product packaging) 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in (W x H x D) 137 g / 4.83 oz Package weight 137 g / 4.83 oz (incl. product and packaging) 40 pcs Junits in distributor master carton 40 pcs Master carton weight 7.36 kg / 16.23 lbs incl. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Uwit pack/end user 1 pc Content of dellvery Box content - Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guide Spare Parts Product name Description Carty pouch for SC 40/70, 10 pcs 506509 40 44155 20743 9 6 15104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs 506512 40 44155 20747 7 6 15104 27089 3 SC 45 Single-sided headset, 25 prs 506513 40 44155 20747 7 6 15104 27789 3 USB-CC x5 CTRL Conteller spare USB cable for SC x5 507089 40 44155 1245 7 6 15104 27734 4 </th <th></th> <th></th> <th></th> <th></th> <th></th>					
Packaging Package type Poly bag with product label on each item Dimension of product packaging 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in W X H x D) 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in Package weight 137 g / 4.83 oz (incl. product and packaging) 137 g / 4.83 oz Units in distributor master carton 40 pcs Master carton weight 7.36 kg / 16.23 lbs incl. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Uwit x D) Unit pack/end user Jpc - Content of delivery - Box content - - Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - - - - - Spare Parts Product name Description Carry pouch for SC 40/70, 10 pcs 506509 40 44155 20743 9 6 15104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs 506512 HZP 47 Black Leatherette ear pads, 2 pcs 506513 40 44155 20747 7 5104 27783 9 6 1		<u> </u>			
Package type Poly bag with product label on each item Dimension of product packaging 170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 in W x H x D 137 g / 4.83 oz (incl. product and packaging) 137 g / 4.83 oz Units in distributor master carton 40 pcs Master carton weight 7.36 kg / 16.23 lbs incl. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Unit pack/end user 1 pc Content of delivery Example Vector of the second and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - UPC No. CB02 Carry pouch for SC 40/70, 10 pcs 506509 40 44155 20743 9 6 15104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs 506512 40 44155 20745 0 6 15104 27083 6 HZP 47 Black Leatherette ear pads, 2 pcs 506513 40 44155 20747 7 6 15104 27083 9 USB-CC x5 CTRL Single-side black toable cole for SC x5 507089 40 44155 21245 7 6 15104 27743 4	Packaging				
Dimension of product packaging (W × H x D)170 x 240 x 60 mm / 6.69 x 9.45 x 2.36 inPackage weight (incl. product and packaging)137 g / 4.83 ozUnits in distributor master carton (M x H x D)40 pcsMaster carton weight incl. products7.36 kg / 16.23 lbsDimension of master carton (W x H x D)385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 inUnit pack/end user1 pcContent of delivery		Poly bag with product label on each item			
(W x H x D) 137 g / 4.83 oz Package weight 137 g / 4.83 oz (incl. product and packaging) 40 pcs Master carton weight 7.36 kg / 16.23 lbs incl. products 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Dimension of master carton 385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 in Unit y pack/end user 1 pc Content of delivery - Box content - Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guide Spare Parts - Product name Description Art. No. EAN No. UPC No. CB02 Carry pouch for SC 40/70, 10 pcs 506509 40 44155 20743 9 6 15104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs 506512 40 44155 20747 7 6 15104 27089 3 HZP 47 Black Leatherette ear pads, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 USB-CC x5 CTRL Controller spare USB cable for SC x5 507089 40 44155 21245 7 6 15104 27743 4			in		
Package weight (incl. product and packaging)137 g / 4.83 ozUnits in distributor master carton Master carton weight incl. products40 pcs 7.36 kg / 16.23 lbs 16.23 lbsDimension of master carton (W × H × D)385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 inUnit pack/end user1 pcContent of delivery-Box content-Product name C802Description Carry pouch - Quick guide - Safety guideProduct name C802Description Carry pouch for SC 40/70, 10 pcs Leatherette ear pads, 2 pcs Sof512Art. No. 40 44155 20743 9 40 44155 20746 0 6 15104 27083 1 6 15104 27088 6 HZP 47 Black Leatherette ear pads, 26 pcs Sige-side headset, 3.5 mm jack Sof513UPC No. 40 44155 21238 9 6 15104 27083 6 6 15104 27083 9 6 15104 2708					
(incl. product and packaging)40 pcsMaster carton weight incl. products7.36 kg / 16.23 lbsDimension of master carton (W × H × D)385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 inUnit pack/end user1 pcContent of delivery1 pcBox content- Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guideSpare PartsProduct nameDescriptionProduct nameDescriptionArt. No.EAN No.C02Carry pouch for SC 40/70, 10 pcs50650940 44155 20743 96 15104 27083 1HZP 46 BlackLeatherette ear pads, 2 pcs50651340 44155 20747 76 15104 27083 1HZP 47 BlackLeatherette ear pads, 26 pcs50651340 44155 20747 76 15104 27089 3USB-CC x5 CTRLController spare USB cable for SC x550708940 44155 21245 76 15104 27734 4		137 g / 4.83 oz			
Master carton weight incl. products7.36 kg / 16.23 lbsDimension of master carton (W × H x D)385 x 315 x 470 mm / 15.16 x 12.40 x 18.50 inUnit pack/end user1 pcContent of delivery-Box content- Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guideSpare PartsProduct nameDescriptionArt. No.EAN No.UPC No.CB02Carry pouch for SC 40/70, 10 pcs50650940 44155 20743 96 15104 27083 1HZP 46 BlackLeatherette ear pads, 2 pcs50651240 44155 20747 76 15104 27089 3SC 45Single-sided headset, 3.5 mm jack50708240 44155 21238 96 15104 27735 9USB-CC x5 CTRLController spare USB cable for SC x550708940 44155 21245 76 15104 27734 4					
incl. productsDimension of master carton (W × H × D)385 × 315 × 470 mm / 15.16 × 12.40 × 18.50 in (W × H × D)Unit pack/end user1 pcContent of delivery- Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guideSpare Parts- Safety guideProduct nameDescriptionArt. No.EAN No.UPC No.CB02Carry pouch for SC 40/70, 10 pcs50650940 44155 20743 96 15104 27083 1HZP 46 BlackLeatherette ear pads, 2 pcs50651240 44155 20746 06 15104 27083 6HZP 47 BlackLeatherette ear pads, 2 pcs50651340 44155 20747 76 15104 27083 6USB-CC x5 CTRLController spare USB cable for SC x550708940 44155 21245 76 15104 27734 4	Units in distributor master carton	40 pcs			
incl. productsDimension of master carton (W × H × D)385 × 315 × 470 mm / 15.16 × 12.40 × 18.50 in (W × H × D)Unit pack/end user1 pcContent of delivery- Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guideSpare Parts- Safety guideProduct nameDescriptionArt. No.EAN No.UPC No.CB02Carry pouch for SC 40/70, 10 pcs50650940 44155 20743 96 15104 27083 1HZP 46 BlackLeatherette ear pads, 2 pcs50651240 44155 20746 06 15104 27083 6HZP 47 BlackLeatherette ear pads, 2 pcs50651340 44155 20747 76 15104 27083 6USB-CC x5 CTRLController spare USB cable for SC x550708940 44155 21245 76 15104 27734 4	Master carton weight	7.36 kg / 16.23 lbs			
(W x H x D)1 pcUnit pack/end user1 pcContent of delivery- Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guideSpare PartsDescriptionArt. No.EAN No.UPC No.Product nameDescription for SC 40/70, 10 pcs50650940 44155 20743 96 15104 27083 1HZP 46 BlackLeatherette ear pads, 2 pcs50651240 44155 20747 76 15104 27089 3HZP 47 BlackLeatherette ear pads, 26 pcs50651340 44155 20747 76 15104 27089 3USB-CC x5 CTRLController spare USB cable for SC x550708940 44155 21245 76 15104 27743 4	incl. products				
Unit pack/end user1 pcContent of delivery- Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guideSpare PartsProduct nameDescriptionArt. No.EAN No.UPC No.CB02Carry pouch for SC 40/70, 10 pcs50650940 44155 20743 96 15104 27083 1HZP 46 BlackLeatherette ear pads, 2 pcs50651240 44155 20746 06 15104 27088 6HZP 47 BlackLeatherette ear pads, 26 pcs50651340 44155 20747 76 15104 27089 3SC 45Single-sided headset, 3.5 mm jack50708240 44155 21238 96 15104 27735 9USB-CC x5 CTRLController spare USB cable for SC x550708940 44155 21245 76 15104 27743 4	Dimension of master carton	385 x 315 x 470 mm / 15.16 x 12.40 x 1	8.50 in		
Content of deliveryBox content- Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guideSpare PartsProduct nameDescriptionArt. No.EAN No.UPC No.CB02Carry pouch for SC 40/70, 10 pcs50650940 44155 20743 96 15104 27083 1HZP 46 BlackLeatherette ear pads, 2 pcs50651240 44155 20746 06 15104 27088 6HZP 47 BlackLeatherette ear pads, 26 pcs50651340 44155 20747 76 15104 27089 3SC 45Single-sided headset, 3.5 mm jack50708240 44155 21238 96 15104 27735 9USB-CC x5 CTRLController spare USB cable for SC x550708940 44155 21245 76 15104 27743 4	(W x H x D)				
Box content- Headset with 3.5 mm jack, foam ear pad and leatherette cover - Detachable USB cable with in-line call control - Carry pouch - Quick guide - Safety guideSpare PartsDescriptionArt. No.EAN No.UPC No.CB02Carry pouch for SC 40/70, 10 pcs50650940 44155 20743 96 15104 27083 1HZP 46 BlackLeatherette ear pads, 2 pcs50651240 44155 20746 06 15104 27088 6HZP 47 BlackLeatherette ear pads, 26 pcs50651340 44155 20747 76 15104 27089 3SC 45Single-sided headset, 3.5 mm jack50708240 44155 21238 96 15104 27735 9USB-CC x5 CTRLController spare USB cable for SC x550708940 44155 21245 76 15104 27743 4	Unit pack/end user	1 pc			
 Detachable USB cable with in-line call control Carry pouch Quick guide Spare Parts Product name Description Carry pouch for SC 40/70, 10 pcs Sofo509 40 44155 20743 9 61 5104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs Sofo513 40 44155 20747 7 61 5104 27089 3 SC 45 Single-sided headset, 3.5 mm jack S07082 40 44155 21238 9 61 5104 27735 9 USB-CC x5 CTRL 	Content of delivery				
 Detachable USB cable with in-line call control Carry pouch Quick guide Spare Parts Product name Description Carry pouch for SC 40/70, 10 pcs Sofo509 40 44155 20743 9 61 5104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs Sofo513 40 44155 20747 7 61 5104 27089 3 SC 45 Single-sided headset, 3.5 mm jack S07082 40 44155 21238 9 61 5104 27735 9 USB-CC x5 CTRL 	Box content	– Headset with 3.5 mm jack, foam ear pa	d and leatherette cov	/er	
- Quick guide - Safety guide Spare Parts Product name Description Art. No. EAN No. UPC No. CB02 Carry pouch for SC 40/70, 10 pcs 506509 40 44155 20743 9 6 15104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs 506512 40 44155 20746 0 6 15104 27088 6 HZP 47 Black Leatherette ear pads, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 SC 45 Single-sided headset, 3.5 mm jack 507082 40 44155 21238 9 6 15104 27735 9 USB-CC x5 CTRL Controller spare USB cable for SC x5 507089 40 44155 21245 7 6 15104 27743 4					
- Safety guide Spare Parts Product name Description Art. No. EAN No. UPC No. CB02 Carry pouch for SC 40/70, 10 pcs 506509 40 44155 20743 9 6 15104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs 506512 40 44155 20746 0 6 15104 27088 6 HZP 47 Black Leatherette ear pads, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 SC 45 Single-sided headset, 3.5 mm jack 507082 40 44155 21238 9 6 15104 27735 9 USB-CC x5 CTRL Controller spare USB cable for SC x5 507089 40 44155 21245 7 6 15104 27743 4					
Spare Parts Product name Description Art. No. EAN No. UPC No. CB02 Carry pouch for SC 40/70, 10 pcs 506509 40 44155 20743 9 6 15104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs 506512 40 44155 20746 0 6 15104 27088 6 HZP 47 Black Leatherette ear pads, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 SC 45 Single-sided headset, 3.5 mm jack 507082 40 44155 21238 9 6 15104 27735 9 USB-CC x5 CTRL Controller spare USB cable for SC x5 507089 40 44155 21245 7 6 15104 27743 4					
Product name Description Art. No. EAN No. UPC No. CB02 Carry pouch for SC 40/70, 10 pcs 506509 40 44155 20743 9 6 15104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs 506512 40 44155 20746 0 6 15104 27088 6 HZP 47 Black Leatherette ear pads, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 SC 45 Single-sided headset, 3.5 mm jack 507082 40 44155 21238 9 6 15104 27735 9 USB-CC x5 CTRL Controller spare USB cable for SC x5 507089 40 44155 21245 7 6 15104 27743 4		– Safety guide			
CB02 Carry pouch for SC 40/70, 10 pcs 506509 40 44155 20743 9 6 15104 27083 1 HZP 46 Black Leatherette ear pads, 2 pcs 506512 40 44155 20746 0 6 15104 27088 6 HZP 47 Black Leatherette ear pads, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 SC 45 Single-sided headset, 3.5 mm jack 507082 40 44155 21238 9 6 15104 27735 9 USB-CC x5 CTRL Controller spare USB cable for SC x5 507089 40 44155 21245 7 6 15104 27743 4					
HZP 46 Black Leatherette ear pads, 2 pcs 506512 40 44155 20746 0 6 15104 27088 6 HZP 47 Black Leatherette ear pads, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 SC 45 Single-sided headset, 3.5 mm jack 507082 40 44155 21238 9 6 15104 27735 9 USB-CC x5 CTRL Controller spare USB cable for SC x5 507089 40 44155 21245 7 6 15104 27743 4					
HZP 47 Black Leatherette ear pads, 26 pcs 506513 40 44155 20747 7 6 15104 27089 3 SC 45 Single-sided headset, 3.5 mm jack 507082 40 44155 21238 9 6 15104 27735 9 USB-CC x5 CTRL Controller spare USB cable for SC x5 507089 40 44155 21245 7 6 15104 27743 4					
SC 45 Single-sided headset, 3.5 mm jack 507082 40 44155 21238 9 6 15104 27735 9 USB-CC x5 CTRL Controller spare USB cable for SC x5 507089 40 44155 21245 7 6 15104 27743 4					
USB-CC x5 CTRL Controller spare USB cable for SC x5 507089 40 44155 21245 7 6 15104 27743 4					
warranty 2 years			507089	40 44155 21245 7	6 15104 27743 4
	warranty				



Experience Sennheiser

Perfection is always relative: Users have different expectations from their headsets and speakerphones depending on their needs. For professional users, that need is to communicate as effectively as possible.

With Sennheiser's range of headsets and speakerphones, the combination of Sennheiser sound leadership, quality design and build – and a focus on real life usability – give the best performance possible in offices, call centers and Unified Communications environments.

Please visit us at: www.sennheiser.com/cco

🗾 SENNHEISER

Sennheiser is one of the world's leading manufacturers of headphones, microphones, wireless transmission systems and highquality headsets and speakerphones for both business and entertainment.

Drawing on the electro acoustics expertise of Sennheiser and the leading hearing healthcare specialist William Demant, Sennheiser Communications' wireless and wired headsets for contact centers, offices and Unified Communications professionals are the result of Sennheiser's and William Demant's joint leadership in sound quality, design, wearing comfort and hearing protection.

For further information, please visit: www.sennheiser.com/cco

Sennheiser Communications A/S

Industriparken 27 · DK-2750 Ballerup · Denmark